



OZUBENÉ ŘEMENICE METRICKÉ "CT" PRO ŘEMENY "AT"



Provedení 1F



Provedení 2

Jak identifikovat řemenici - příklad:

21 CT5 25

Celková šířka řemenice (mm) 21

Rozteč řemenice (mm) CT5

Počet zubů řemenice 25

materiál: HLINÍK

CT5 (5 mm rozteč) URČENO PRO ŘEMENY ŠÍROKÉ 10 mm

HLINÍK

POPIS	PROV.	Počet ZUBŮ	Dp	De	Df	Dm	F	L	d	PŘÍRUBA Č.
21 CT5 12	1F	12	19.10	17.85	23.0	11	15	21	-	1
21 CT5 14	1F	14	22.29	21.05	25.0	13	15	21	-	2
21 CT5 15	1F	15	23.88	22.65	28.0	16	15	21	6	4
21 CT5 16	1F	16	25.47	24.20	32.0	18	15	21	6	5
21 CT5 18	1F	18	28.65	27.40	32.0	20	15	21	6	6
21 CT5 19	1F	19	30.25	29.00	36.0	22	15	21	6	8
21 CT5 20	1F	20	31.83	30.60	36.0	23	15	21	6	8
21 CT5 22	1F	22	35.02	33.85	38.0	24	15	21	6	9
21 CT5 24	1F	24	38.21	37.00	42.0	26	15	21	6	13
21 CT5 25	1F	25	39.80	38.60	44.0	26	15	21	6	12
21 CT5 26	1F	26	41.39	40.20	44.0	26	15	21	6	12
21 CT5 27	1F	27	42.98	41.80	48.0	30	15	21	8	11
21 CT5 28	1F	28	44.58	43.35	48.0	32	15	21	8	11
21 CT5 30	1F	30	47.76	46.55	51.0	34	15	21	8	16
21 CT5 32	1F	32	50.94	49.70	54.0	38	15	21	8	18
21 CT5 36	1F	36	57.31	56.05	64.0	38	15	21	8	23
21 CT5 40	1F	40	63.66	62.45	66.5	40	15	21	8	24
21 CT5 42	1F	42	66.86	65.60	70.0	40	15	21	8	26
21 CT5 44	2	44	70.05	68.80	-	45	15	21	8	-
21 CT5 48	2	48	76.42	75.15	-	50	15	21	8	-
21 CT5 60	2	60	95.52	94.25	-	65	15	21	8	-

OZUBENÉ ŘEMENICE METRICKÉ "CT" PRO ŘEMENY "AT"

CT5 (5 mm rozteč) URČENO PRO ŘEMENY ŠÍROKÉ 16 mm

HLINÍK	POPIS	PROV.	Počet ZUBŮ	Dp	De	Df	Dm	F	L	d	PŘÍRUBA Č.
	27 CT5 12	1F	12	19.10	17.85	23.0	11	21	27	-	1
	27 CT5 14	1F	14	22.29	21.05	25.0	13	21	27	-	2
	27 CT5 15	1F	15	23.88	22.65	28.0	16	21	27	6	4
	27 CT5 16	1F	16	25.47	24.20	32.0	18	21	27	6	5
	27 CT5 18	1F	18	28.65	27.40	32.0	20	21	27	6	6
	27 CT5 19	1F	19	30.25	29.00	36.0	22	21	27	6	8
	27 CT5 20	1F	20	31.83	30.60	36.0	23	21	27	6	8
	27 CT5 22	1F	22	35.02	33.85	38.0	24	21	27	6	9
	27 CT5 24	1F	24	38.21	37.00	42.0	26	21	27	6	13
	27 CT5 25	1F	25	39.80	38.60	44.0	26	21	27	6	12
	27 CT5 26	1F	26	41.39	40.20	44.0	26	21	27	6	12
27 CT5 27	1F	27	42.98	41.80	48.0	30	21	27	8	11	
27 CT5 28	1F	28	44.58	43.35	48.0	32	21	27	8	11	
27 CT5 30	1F	30	47.76	46.55	51.0	34	21	27	8	16	
27 CT5 32	1F	32	50.94	49.70	54.0	38	21	27	8	18	
27 CT5 36	1F	36	57.31	56.05	64.0	38	21	27	8	23	
27 CT5 40	1F	40	63.66	62.45	66.5	40	21	27	8	24	
27 CT5 42	1F	42	66.86	65.60	70	40	21	27	8	26	
27 CT5 44	2	44	70.05	68.80	-	45	21	27	8	-	
27 CT5 48	2	48	76.42	75.15	-	50	21	27	8	-	
27 CT5 60	2	60	95.52	94.25	-	65	21	27	8	-	

CT5 (5 mm rozteč) URČENO PRO ŘEMENY ŠÍROKÉ 25 mm

HLINÍK	POPIS	PROV.	Počet ZUBŮ	Dp	De	Df	Dm	F	L	d	PŘÍRUBA Č.
	36 CT5 12	1F	12	19.10	17.85	23.0	11	30	36	-	1
	36 CT5 14	1F	14	22.29	21.05	25.0	13	30	36	-	2
	36 CT5 15	1F	15	23.88	22.65	28.0	16	30	36	6	4
	36 CT5 16	1F	16	25.47	24.20	32.0	18	30	36	6	5
	36 CT5 18	1F	18	28.65	27.40	32.0	20	30	36	6	6
	36 CT5 19	1F	19	30.25	29.00	36.0	22	30	36	6	8
	36 CT5 20	1F	20	31.83	30.60	36.0	23	30	36	6	8
	36 CT5 22	1F	22	35.02	33.85	38.0	24	30	36	6	9
	36 CT5 24	1F	24	38.21	37.00	42.0	26	30	36	6	13
	36 CT5 25	1F	25	39.80	38.60	44.0	26	30	36	6	12
	36 CT5 26	1F	26	41.39	40.20	44.0	26	30	36	6	12
36 CT5 27	1F	27	42.98	41.80	48.0	30	30	36	8	11	
36 CT5 28	1F	28	44.58	43.35	48.0	32	30	36	8	11	
36 CT5 30	1F	30	47.76	46.55	51.0	34	30	36	8	16	
36 CT5 32	1F	32	50.94	49.70	54.0	38	30	36	8	18	
36 CT5 36	1F	36	57.31	56.05	64.0	38	30	36	8	23	
36 CT5 40	1F	40	63.66	62.45	66.5	40	30	36	8	24	
36 CT5 42	1F	42	66.86	65.60	70.0	40	30	36	8	26	
36 CT5 44	2	44	70.05	68.80	-	45	30	36	8	-	
36 CT5 48	2	48	76.42	75.15	-	50	30	36	8	-	
36 CT5 60	2	60	95.52	94.25	-	65	30	36	8	-	

Řemennice a tyče s roztečí CT20 jsou vyráběny pouze na poptávku

OZUBENÉ ŘEMENICE METRICKÉ "CT" PRO ŘEMENY "AT"

CT10 (10 mm rozteč) URČENO PRO ŘEMENY ŠIROKÉ 16 mm

HLINÍK	POPIS	PROV.	Počet ZUBŮ	Dp	De	Df	Dm	F	L	d	PŘÍRUBA Č.
	31 CT10 15	1F	15	47.75	45.90	51	32	21	31	8	16
	31 CT10 16	1F	16	50.93	49.05	54	35	21	31	8	18
	31 CT10 18	1F	18	57.29	55.45	60	40	21	31	8	21
	31 CT10 19	1F	19	60.48	58.60	66.5	44	21	31	8	24
	31 CT10 20	1F	20	63.66	61.80	66.5	46	21	31	8	24
	31 CT10 22	1F	22	70.03	68.15	75	52	21	31	8	27
	31 CT10 24	1F	24	76.39	74.55	83	58	21	31	8	29
	31 CT10 25	1F	25	79.58	77.70	83	60	21	31	8	29
	31 CT10 26	1F	26	82.76	80.90	87	60	21	31	8	31
	31 CT10 27	1F	27	85.95	84.10	91	60	21	31	8	32
	31 CT10 28	1F	28	89.12	87.25	93	60	21	31	8	33
31 CT10 30	1F	30	95.49	93.65	102	60	21	31	8	35	
31 CT10 32	1F	32	101.86	100.00	106	65	21	31	10	38	
31 CT10 36	1F	36	114.59	112.75	119	70	21	31	10	43	
31 CT10 40	1F	40	127.32	125.45	131	80	21	31	10	47	
31 CT10 44	2	44	140.05	138.20	-	88	21	31	10	-	
31 CT10 48	2	48	152.78	150.95	-	95	21	31	16	-	
31 CT10 60	2	60	190.98	189.10	-	110	21	31	16	-	

CT10 (10 mm rozteč) URČENO PRO ŘEMENY ŠIROKÉ 25 mm

HLINÍK	POPIS	PROV.	Počet ZUBŮ	Dp	De	Df	Dm	F	L	d	PŘÍRUBA Č.
	40 CT10 15	1F	15	47.75	45.90	51	32	30	40	8	16
	40 CT10 16	1F	16	50.93	49.05	54	35	30	40	8	18
	40 CT10 18	1F	18	57.29	55.45	60	40	30	40	8	21
	40 CT10 19	1F	19	60.48	58.60	66.5	44	30	40	8	24
	40 CT10 20	1F	20	63.66	61.80	66.5	46	30	40	8	24
	40 CT10 22	1F	22	70.03	68.15	75	52	30	40	8	27
	40 CT10 24	1F	24	76.39	74.55	83	58	30	40	8	29
	40 CT10 25	1F	25	79.58	77.70	83	60	30	40	8	29
	40 CT10 26	1F	26	82.76	80.90	87	60	30	40	8	31
	40 CT10 27	1F	27	85.95	84.10	91	60	30	40	8	32
	40 CT10 28	1F	28	89.12	87.25	93	60	30	40	8	33
40 CT10 30	1F	30	95.49	93.65	102	60	30	40	8	35	
40 CT10 32	1F	32	101.86	100.00	106	65	30	40	10	38	
40 CT10 36	1F	36	114.59	112.75	119	70	30	40	10	43	
40 CT10 40	1F	40	127.32	125.45	131	80	30	40	10	47	
40 CT10 44	2	44	140.05	138.20	-	88	30	40	10	-	
40 CT10 48	2	48	152.78	150.95	-	95	30	40	16	-	
40 CT10 60	2	60	190.98	189.10	-	110	30	40	16	-	

Řemence a tyče s roztečí CT20 jsou vyráběny pouze na poptávku

OZUBENÉ ŘEMENICE METRICKÉ "CT" PRO ŘEMENY "AT"

CT10 (10 mm rozteč) URČENO PRO ŘEMENY ŠÍROKÉ 32 mm


HLINÍK	POPIS	PROV.	Počet ZUBŮ	Dp	De	Df	Dm	F	L	d	PŘÍRUBA č.
	47 CT10 18	1F	18	57.29	55.45	60	40	37	47	10	21
	47 CT10 19	1F	19	60.48	58.60	66.5	44	37	47	10	24
	47 CT10 20	1F	20	63.66	61.80	66.5	46	37	47	12	24
	47 CT10 22	1F	22	70.03	68.15	75	52	37	47	12	27
	47 CT10 24	1F	24	76.39	74.55	83	58	37	47	12	29
	47 CT10 25	1F	25	79.58	77.70	83	60	37	47	12	29
	47 CT10 26	1F	26	82.76	80.90	87	60	37	47	12	31
	47 CT10 27	1F	27	85.95	84.10	91	60	37	47	12	32
	47 CT10 28	1F	28	89.12	87.25	93	60	37	47	12	33
	47 CT10 30	1F	30	95.49	93.65	102	60	37	47	12	35
	47 CT10 32	1F	32	101.86	100.00	106	65	37	47	12	38
47 CT10 36	1F	36	114.59	112.75	119	70	37	47	16	43	
47 CT10 40	1F	40	127.32	125.45	131	80	37	47	16	47	
47 CT10 44	2	44	140.05	138.20	-	88	37	47	16	-	
47 CT10 48	2	48	152.78	150.95	-	95	37	47	16	-	
47 CT10 60	2	60	190.98	189.10	-	110	37	47	16	-	

CT10 (10 mm rozteč) URČENO PRO ŘEMENY ŠÍROKÉ 50 mm

HLINÍK	POPIS	PROV.	Počet ZUBŮ	Dp	De	Df	Dm	F	L	d	PŘÍRUBA č.
	66 CT10 18	1F	18	57.29	55.45	60	40	56	66	10	21
	66 CT10 19	1F	19	60.48	58.60	66.5	44	56	66	10	24
	66 CT10 20	1F	20	63.66	61.80	66.5	46	56	66	12	24
	66 CT10 22	1F	22	70.03	68.15	75	52	56	66	12	27
	66 CT10 24	1F	24	76.39	74.55	83	58	56	66	12	29
	66 CT10 25	1F	25	79.58	77.70	83	60	56	66	12	29
	66 CT10 26	1F	26	82.76	80.90	87	60	56	66	12	31
	66 CT10 27	1F	27	85.95	84.10	91	60	56	66	12	32
	66 CT10 28	1F	28	89.12	87.25	93	60	56	66	12	33
	66 CT10 30	1F	30	95.49	93.65	102	60	56	66	12	35
	66 CT10 32	1F	32	101.86	100.00	106	65	56	66	12	38
66 CT10 36	1F	36	114.59	112.75	119	70	56	66	16	43	
66 CT10 40	1F	40	127.32	125.45	131	80	56	66	16	47	
66 CT10 44	2	44	140.05	138.20	-	88	56	66	16	-	
66 CT10 48	2	48	152.78	150.95	-	95	56	66	16	-	
66 CT10 60	2	60	190.98	189.10	-	110	56	66	16	-	

Řemence a tyče s roztečí CT20 jsou vyráběny pouze na poptávku

OZUBENÉ TYČE METRICKÉ "CT" PRO ŘEMENY "AT"



Poznámka: CT 5 - CT 10 ozubené tyče jsou vyráběny pouze v hliníkovém provedení vhodném pro anodickou oxidaci

CT5 (5 mm rozteč)

POPIS	Počet zubů	De venkovní Ø	L pracovní	L celková
CT5-12	12	17.85	140	140
CT5-13	13	19.45	140	140
CT5-14	14	21.05	140	140
CT5-15	15	22.65	140	140
CT5-16	16	24.20	140	140
CT5-18	18	27.40	140	140
CT5-19	19	29.00	140	140
CT5-20	20	30.60	160	160
CT5-21	21	32.30	160	160
CT5-22	22	33.85	160	160
CT5-23	23	35.45	160	160
CT5-24	24	37.00	160	160
CT5-25	25	38.55	160	160
CT5-26	26	40.20	160	160
CT5-28	28	43.25	160	160
CT5-30	30	46.55	160	160
CT5-32	32	49.70	160	160
CT5-34	34	52.85	160	160
CT5-36	36	56.05	160	160
CT5-38	38	59.25	160	160
CT5-40	40	62.45	160	160
CT5-42	42	65.60	160	160
CT5-44	44	68.80	160	160
CT5-46	46	72.00	160	160
CT5-48	48	75.15	160	160
CT5-52	52	81.55	160	160
CT5-56	56	87.90	160	160
CT5-60	60	94.25	160	160
CT5-64	64	100.65	160	160
CT5-72	72	113.35	160	160

CT10 (10 mm rozteč)

POPIS	Počet zubů	De venkovní Ø	L pracovní	L celková
CT10-15	15	45.90	160	160
CT10-16	16	49.140	160	160
CT10-18	18	55.45	160	160
CT10-19	19	58.65	160	160
CT10-20	20	61.80	160	160
CT10-21	21	65.00	160	160
CT10-22	22	68.20	160	160
CT10-23	23	71.35	160	160
CT10-24	24	74.55	160	160
CT10-25	25	77.75	160	160
CT10-26	26	80.90	160	160
CT10-28	28	87.25	160	160
CT10-30	30	93.65	160	160
CT10-32	32	100.00	160	160
CT10-34	34	106.40	160	160
CT10-36	36	112.75	160	160
CT10-38	38	119.10	160	160
CT10-40	40	125.45	160	160
CT10-42	42	131.85	160	160
CT10-44	44	138.20	160	160
CT10-46	46	144.55	160	160
CT10-48	48	150.95	160	160
CT10-52	52	163.65	160	160
CT10-56	56	176.40	160	160
CT10-60	60	189.15	160	160

Ozubené řemenice a ozubené tyče s roztečí CT20 jsou vyráběny pouze na poptávku.