




KLÍNOVÉ ŘEMENICE PRO KUŽELOVÁ UPÍNAČÍ POUZDRA „TAPER - LOCK“




Prov. 1




Prov. 2




Prov. 3




Prov. 4




Prov. 5




Prov. 6




Prov. 7




Prov. 8




Prov. 8a




Prov. 9




Prov. 10




Prov. 11




Prov. 12




Prov. 13




Prov. 14



Prov. 15



Prov. 16



Prov. 17

Výpočtový Ø Dp	Počet drážek	Provedení	Upínací pouzdro	Venkovní ØDe	Di	Dm	F	L	P	R	S	T
200	2	6	2517	210,2	144		65			20	45	
	3	7	2517	"	144		85			20	45	
	4	7	3020	"	144		111			30	51	
	5	7	3535	"	144		136			23,5	89	
	6	7	3535	"	144		162			36,5	89	
	8	7	3535	"	144		213			62	89	
224	2	6	3020	234,2	173		68			17	51	
	3	7	3020	"	173		85			17	51	
	4	7	3535	"	173		111			11	89	
	5	7	3535	"	173		136			23,5	89	
	6	7	3535	"	173		162			36,5	89	
	8	7	3535	"	170		213			62	89	
250	2	6	3020	260,2	198		68			17	51	
	3	7	3020	"	198		85			17	51	
	4	7	3535	"	198		111			11	89	
	5	7	3535	"	198		136			23,5	89	
	6	7	3535	"	198		162			36,5	89	
	8	7	3535	"	198		213			62	89	
280	2	4	3535	290,2		170	59,5	89	29,5			
	3	4	3535	"		170	85	89	4			
	4	7	3535	"	228		111			11	89	
	5	7	3535	"	228		136			23,5	89	
	6	7	3535	"	228		162			36,5	89	
	8	7	3535	"	228		213			62	89	
	10	7	4040	"	222		264			81	102	
	300	3	10	3535	310,2	247	170	85	89	2		
4	9	3535	"	247	170	111				11	89	
5	9	3535	"	247	170	136				23,5	89	
6	9	3535	"	247	170	162				36,5	89	
8	7	4040	"	247		213				55,5	102	
10	7	4545	"	242		264				75	114	
315	2	8	3535	325,2	264	170	59,5	89	27,5			
	3	10	3535	"	264	170	85	89	2			
	4	9	3535	"	264	170	111			11	89	
	5	9	3535	"	264	170	136			23,5	89	
	6	9	3535	"	264	170	162			36,5	89	
	8	7	4040	"	258	170	213			55,5	102	
10	7	4545	"	258		264			75	114		
335	2	8	3535	345,2	279	170	59,5	89	29,5			
	3	10	3535	"	279	170	85	89	2			
	4	9	3535	"	279	170	111			11	89	
	5	9	3535	"	279	170	136			23,5	89	
	6	9	3535	"	279	170	162			36,5	89	
	8	9	4040	"	279	200	213			55,5	102	
	10	7	4545	"	279		264			75	114	
	355	2	8	3535	365,2	304	170	59,5	89	27,5		
3	10	3535	"	304	170	85	89	2				
4	9	3535	"	304	170	111			11	89		
5	9	3535	"	304	170	136			23,5	89		
6	9	3535	"	304	170	162			36,5	89		
8	7	4040	"	304		213			55,5	102		
10	7	4545	"	299		264			75	114		
400	2	17	3535	410,2	344	170	59,5	89	27,5			2
	3	11	3535	"	344	170	85	89	2			89
	4	12	3535	"	344	170	111			11	89	
	5	12	3535	"	344	170	136			23,5	102	
	6	9	4040	"	348	200	162			30	114	
	8	12	4545	"	348	225	213			49,5	117	
	10	7	5050	"	342		264			68,5	127	

KLÍNOVÉ ŘEMENICE PRO UPÍNACÍ POUZDRO

TYP

Výpočtový Ø Dp	Počet drážek	Provedení	Upínací pouzdro	Venkovní ØDe	Di	Dm	F	L	P	R	S	T
450	2	17	3535	460,2	394	170	59,5	89	27,5 2	11	89	2
	3	11	3535	"	394	170	85	89				
	4	12	3535	"	394	170	111					
	5	12	4040	"	394	200	136			17	102	
	6	9	4545	"	394	225	162			24	114	
	8	9	5050	"	394	245	213			43	127	
	10	9	5050	"	394	245	264			68,5	127	
475	2	17	3535	485,2	419	170	59,5	89	27,5 2	11	89	2
	3	11	3535	"	419	170	85	89				
	4	12	3535	"	419	170	111					
	5	12	4040	"	419	200	136			17	102	
	6	12	4545	"	419	225	162			24	114	
	8	12	5050	"	419	245	213			43	127	
	10	9	5050	"	419	245	264			68,5	127	
500	2	17	3535	510,2	444	170	59,5	89	27,5 2	11	89	2
	3	11	3535	"	444	170	85	89				
	4	12	3535	"	444	170	111					
	5	12	4040	"	444	200	136			17	102	
	6	12	4545	"	444	225	162			24	114	
	8	9	5050	"	444	245	213			43	127	
	10	9	5050	"	444	245	264			68,5	127	
560	2	17	3535	570,2	504	170	59,5	89	27,5 2	4,5	102	2
	3	11	3535	"	504	170	85	89				
	4	12	4040	"	504	200	111					
	5	12	4545	"	504	225	136			11	114	
	6	12	5050	"	504	245	162			17,5	127	
	8	12	5050	"	504	245	213			43	127	
	10	9	5050	"	504	245	264			68,5	127	
630	2	17	4040	640,2	574	200	59,5	102	34 8,5 1,5	4,5	127	8,5
	3	11	4040	"	574	200	85	102				
	4	11	4545	"	574	225	111	114				
	5	12	5050	"	574	245	136					
	6	12	5050	"	574	245	162			17,5	127	
	8	12	5050	"	574	245	213			43	127	
	10	9	5050	"	574	245	264			68,5	127	
710	4	17	5050	720,2	654	267	111	127	12	4,5	127	4
	5	12	5050	"	654	245	136					
	6	12	5050	"	654	245	162			17,5	127	
	8	12	5050	"	654	245	213			43	127	
	10	12	5050	"	654	245	264			68,5	127	
800	4	17	5050	810,2	737	245	111	127	12	4,5	127	4
	5	12	5050	"	737	245	136					
	6	12	5050	"	737	245	162			17,5	127	
	8	12	5050	"	737	245	213			43	127	
	10	12	5050	"	737	245	264			68,5	127	
1000	4	17	5050	1010,2	937	245	111	127	12	4,5	127	4
	5	12	5050	"	937	245	136					
	6	12	5050	"	937	245	162			17,5	127	
	8	12	5050	"	937	245	213			43	127	
	10	12	5050	"	937	245	264			68,5	127	
1250	5	12	5050	1260,2	1187	245	136			4,5	127	
	6	12	5050	"	1187	245	162			17,5	127	
	8	12	5050	"	1187	245	213			43	127	
	10	12	5050	"	1187	245	264			68,5	127	